Summary of Demographic Indicators Children Aged < 5 Years (2,3)

Number

	_	
ımber		
78,172 131,726		WIC EPSDT Child Hea Child Hea Headstart School He Other
		Total Excluded t

Source of Data	1	Number	%
WIC EPSDT		78,172 0	100.0 0.0
Child Health-MCH		0	0.0
Child Health-HMO		0	0.0
Headstart		0	0.0
School Health		0	0.0
Other		0	0.0
Total <i>Excluded Unknown:</i> 0	0.0 %	78,172	100.0

Page:

Run Date: 3 / 26 / 09

Race/Ethnic Di	istribution		Number	%
White, Not Hispanic			48,281	62.3
Black, Not Hispanic			6,319	8.2
Hispanic			17,764	22.9
American Indian/Alaska	n Native		291	0.4
Asian/Pacific Islander			1,047	1.4
Multiple Races			3,776	4.9
All Other			0	0.0
Total			77,478	100.0
Excluded Unknown:	694	0.9 %		

Age Distribution (4)	Number	%
0 - 5 Months 6 - 11 Months 12 - 23 Months 24 - 35 Months 3 - 4 Years	18,355 10,038 15,398 13,160 21,221	23.5 12.8 19.7 16.8 27.1
Total	78,172	100.0

% of Poverty Lev	el		Number	%
0-50			23,548	30.5
51-100			24,718	32.0
101-130			12,812	16.6
131-150			6,312	8.2
151-185			7,634	9.9
186-200			650	8.0
Over 200			1,625	2.1
Adjunctive Eligibility	y		0	0.0
Total			77,299 ·	100.0
Excluded Unknown:	873	1.1 %		

Total Records

Individual Children

Total Records (All Visits)

Program Participation	Number	%
WIC FoodStamps Medicaid TANF	78,172 77,452 77,452 77,452	30.5 71.1
Excluded Unknown:		
WIC FoodStamps Medicaid TANF	0 720 720 720	0.0 0.9 0.9 0.9

Migrant Status			Number	%
Yes			44	*
No			77,989	99.9
Total Excluded Unknown	139	0.2 %	78,033	100.0

CDC

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

Excludes records with unknown data or errors.

Records rejected if date of birth and date of visit unknown.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Health Indicators Children Aged < 5 Years (2)

9	Summary of Healt	h Indicators	(3)		
			lowa Prevalence		nal nce ear)
		Number	%	Number	%
Birthweight (4) Low High	< 2500 g > 4000 g	18,189 18,189	8.5 7.9	1,953,242 1,953,242	9.1 6.4
Height and Weight Short Stature (5)	< 5th < 10th	76,257 76,257	5.6 10.3	7,526,585 7,526,585	6.2 11.2
Underweight (6)	< 5th < 10th	76,257 76,257	2.8 5.2	7,526,585 7,526,585	4.5 7.8
Obese (6) ≥ 2 Yrs Overweight (6)	≥ 95th 85th - < 95th ≥ 95th	76,257 33,548 33,548	14.5 17.5 15.1	7,526,585 3,058,130 3,058,130	13.9 16.4 14.9
Anemia (7) Low Hb Low Hct Low Hb/Hct		52,549 251 52,672	8.1 9.2 8.1	4,357,486 627,528 4,759,588	15.3 11.0 15.0
Breastfeeding (8) Ever Breastfed Breastfed At Least 6 Mor		18,572 14,633 12,273	61.2 20.0 11.7	1,747,004 874,434 979,105	59.8 25.4 17.5
Smoking in Household ≤ 2 Hours TV Viewing/ Day	(9)	73,918 31,351	35.6 83.7	3,047,308 687,613	11.3 75.0

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Infants born during the reporting period included in the analysis.
- (5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- (8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (9) Children aged 2 years and older included in the analysis.



Page:

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Breastfeeding Indicators Children Aged < 5 Years (2)

Summary of Breastfeeding Indicators (3)									
	lowa Prevalence		Nationa Prevaler (Prior Ye	ice					
	Number	%	Number	%					
Breastfeeding Duration (4,5)									
Ever Breastfed	18,572	61.2	1,747,004	59.8					
Breastfed 1+ Weeks Breastfed 2+ Weeks Breastfed 3+ Weeks Breastfed 4+ Weeks Breastfed 6+ Weeks	17,654 15,615 14,401 13,387 11,989	55.0 52.1 48.6 45.2 39.3	1,441,655 1,143,026 945,918 829,522 703,467	57.7 54.6 51.9 49.3 43.4					
Breastfed 2+ Months Breastfed 3+ Months Breastfed 4+ Months Breastfed 5+ Months Breastfed 6+ Months	12,082 13,027 13,560 14,857 14,633	34.5 29.5 24.7 21.8 20.0	656,316 698,226 781,546 876,545 874,434	38.1 33.2 29.4 26.5 25.4					
Breastfed 9+ Months Breastfed 12+ Months	12,025 12,273	15.4 11.7	956,555 979,105	20.2 17.5					
Breastfed 18+ Months	8,778	7.3	722,829	10.5					
Exclusive Breastfeeding (6)									
Exclusively Breastfed at Least 3 Months Exclusively Breastfed at Least 6 Months	12,173 13,534	6.2 2.7	127,047 182,064	10.2 5.2					

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

⁽⁵⁾ It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

⁽⁶⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

2008 Pediatric Nutrition Surveillance (1)

Iowa

Comparison of Racial and Ethnic Distribution by Contributor Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution by Contributor										
Contributor	Number Included in	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaskan Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown		
	Analysis (3)	%	%	%	%	%	%	%		
Iowa	78,172	61.8	8.1	22.7	0.4	1.3	4.8	0.9		
Nation (Prior Year)	7,995,600	31.6	19.4	40.9	1.0	2.5	1.8	2.7		



Page:

Reporting period is January 1 through December 31.
 Analyses based on one record per child.
 Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

2008 Pediatric Nutrition Surveillance (1) lowa

Comparison of Age Distribution by Contributor Children Aged < 5 Years (2)

Comparison of Age Distribution by Contributor										
Contributor	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %						
Iowa	78,172	36.3	19.7	44.0						
Nation (Prior Year)	7,995,600	37.6	22.1	40.3						



Page:

Run Date:

3 / 26 / 09

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.
(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 1 Run Date: 3 / 26 / 09

Comparison of Growth and Anemia Indicators by Contributor Children Aged < 5 Years (2)

	_	Comp	arison of	Growth a	ınd Ane	mia Ind	licators	by Cont	ributor	(3)		
		Birthweigh	nt (4)		Height and Weight							
		Low	High		Short Stature (5)	Under- weight (6)			≥ 2 Yrs Over- weight (6)		Low I	emia Hb/Hct 7)
Contributor	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% >95th	Number	% 85th- <95th	% >95th	Number	%
lowa	18,189	8.5	7.9	76,257	5.6	2.8	14.5	33,548	17.5	15.1	52,672	8.1
Nation (Prior Year)	1,953,242	9.1	6.4	7,526,585	6.2	4.5	13.9	3,058,130	0 16.4	14.9	4,759,588	15.0



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children..

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date:

3 / 26 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor

Children Aged < 5 Years (3)

	Comparison of Breastfeeding, TV Viewing, a Breastfeeding (5)					wing, an	1	Exclusive Breastfeeding (6)				urs TV g/Day	Smoking in Household	
Contributor	Number E	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
lowa	18,572	61.2	14,633	20.0	12,273	11.7	12,173	6.2	13,534	2.7	31,351	83.7	73,918	35.6
Nation Prior Year)	1,747,004	4 59.8	874,434	25.4	979,105	17.5	127,047	10.2	182,064	5.2	687,613	75.0	3,047,308	11.3



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁶⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

⁽⁷⁾ Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 1 Run Date: 3 / 26 / 09

Growth and Anemia Indicators by Race/Ethnicity or Age Children Aged < 5 Years (2)

	Growth	and An	emia In	dicators	by Rac	e/Ethr	nicity o	r Age 🤫	3)			
	Bii	rthweight (4	!)			Hei	ght and W	eight/				
		Low %	High %		Short Stature (5)	Under- weight (6)	Obese (6)		≥ 2 Yrs Overweight (6)		Anei Low H (7	b/Hct
	Number	<2500 g	>4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% <u>></u> 95th	Number	%
Race/Ethnicity												
White, Not Hispanic	11,434	8.4	8.2	47,367	5.8	3.0	13.3	20,412	17.2	13.4	32,203	6.9
Black, Not Hispanic	1,386	11.5	4.0	6,138	5.4	3.5	12.3	2,840	15.4	11.4	4,298	17.0
Hispanic	3,673	8.2	8.0	17,219	4.7	2.0	18.5	8,121	19.2	20.7	12,689	7.5
American Indian/Alaskan Native	70	*	*	281	5.3	1.8	21.7	126	21.4	15.9	197	8.1
Asian/Pacific Islander	264	8.7	3.8	1,028	7.7	3.7	11.4	454	13.0	11.7	706	11.2
Multiple Races	876	7.6	9.0	3,713	6.0	2.3	15.4	1,588	17.2	15.5	2,547	10.2
All Other	486	5.1	9.9	511	7.0	2.7	9.0	7	*	*	32	*
Total	18,189	8.5	7.9	76,257	5.6	2.8	14.5	33,548	17.5	15.1	52,672	8.1
Age												
0 - 11 Months	_	-	_	27,335	8.0	4.2	11.5	_	*	*	5,285	12.4
12 - 23 Months	-	-	-	15,374	5.5	1.6	18.5	-	*	*	17,137	9.5
24 - 35 Months	-	-	-	12,781	3.6	2.3	13.4	12,781	16.7	13.4	11,836	8.9
36 - 47 Months	-	-	-	10,770	4.2	2.4	15.9	10,770	_	15.9	10,352	5.7
48 - 59 Months	-	-	-	9,997	3.1	1.9	16.4	9,997	18.5	16.4	8,062	4.2
Total	-	-	-	76,257	5.6	2.8	14.5	33,548	17.5	15.1	52,672	8.1

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

Page:

Run Date: 3 / 26 / 09

(2)

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age Children Aged < 5 Years

Breastfeeding, T	V Viewin	g, and S	Smoking	in Hou	sehold by	Race	Ethnicity	or Ag	e (4)	
		Breastfeeding (5)							rs Smokir eo House ay (6)	
	Number % Ever Breastfed		1	Number % Breastfed At Least 6 Months		% eastfed At east 12 lonths	Number	%	Number	%
Race/Ethnicity										
White, Not Hispanic	11,577	59.7	9,498	18.1	7,717	9.6	19,273	86.1	46,039	42.2
Black, Not Hispanic	1,402	48.1	1,085	17.2	938	11.9	2,430	75.1	5,861	28.5
Hispanic	3,730	73.5	2,993	28.7	2,821	18.1	7,705	81.6	16,736	19.2
American Indian/Alaskan Native	74	*	46	*	43	*	117	64.1	273	32.2
Asian/Pacific Islander	266	68.0	179	27.9	147	18.4	401	76.3	976	17.8
Multiple Races	880	55.7	702	12.4	600	5.5	1,422	81.7	3,548	42.8
All Other	643	49.1	130	10.0	7	*	3	*	485	48.5
Total	18,572	61.2	14,633	20.0	12,273	11.7	31,351	83.7	73,918	35.6
Age										
0 - 11 Months	-	-	-	-	-	-	0	*	25,458	35.7
12 - 23 Months	-	-	_	-	-	-	0	*	14,911	36.3
24 - 35 Months	-	-	-	-	-	-	12,856	86.4	12,863	35.2
36 - 47 Months	-	-	-	-	-	-	9,616	82.0	10,666	36.0
48 - 59 Months	-	-	-	-	-	-	8,879	81.8	10,020	34.5
Total	18,572	61.2	14,633	20.0	12,273	11.7	31,351	83.7	73,918	35.6



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 3 / 26 / 09

Summary of Trends in Racial and Ethnic Distribution Children Aged < 5 Years (2)

	Summary of Trends in Racial and Ethnic Distribution												
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %					
2008	78,172	61.8	8.1	22.7	0.4	1.3	4.8	0.9					
2007	74,984	61.7	8.1	22.8	0.3	1.3	4.7	1.0					
2006	72,143	61.6	7.7	22.8	0.1	1.3	3.8	2.7					
2005	66,475	72.3	8.8	16.2	0.7	2.0	0.0	0.0					
2004	67,276	73.1	8.8	15.4	0.7	2.0	0.0	0.0					
2003	69,455	74.9	8.1	14.3	0.5	2.1	0.0	0.0					
2002	64,106	75.8	8.4	13.4	0.6	1.9	0.0	0.0					
2001	62,299	76.6	8.4	12.6	0.6	1.8	0.0	0.0					
2000	61,001	77.5	8.3	11.8	0.6	1.9	0.0	0.0					
1999	63,327	78.9	7.8	10.7	0.6	2.0	0.0	0.0					
1998	66,580	80.1	7.6	9.7	0.6	2.1	0.0	0.0					
1997	66,575	80.8	7.8	8.8	0.5	2.1	0.0	0.0					
1996	85,076	80.7	8.5	8.1	0.6	2.1	0.0	0.0					
1995	92,976	82.5	8.1	6.8	0.5	2.1	0.0	0.0					
1994	60,495	82.9	8.7	5.7	0.6	2.1	0.0	0.0					
1993	63,749	84.7	8.2	4.6	0.6	1.9	0.0	0.0					
1992	63,266	85.8	8.0	3.7	0.7	1.8	0.0	0.0					
1991	59,645	86.5	7.9	3.1	0.7	1.8	0.0	0.0					
1990	54,815	87.1	7.6	2.6	0.7	1.9	0.0	0.0					

⁽¹⁾ Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with errors.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 3 / 26 / 09

Summary of Trends in Racial and Ethnic Distribution Children Aged < 5 Years (2)

	Summary of Trends in Racial and Ethnic Distribution												
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %					
1989	52,533	87.4	7.6	2.3	0.7	1.9	0.0	0.0					
1988	47,844	88.0	7.5	1.9	0.7	1.9	0.0	0.0					
1987	44,271	88.3	7.3	1.9	0.6	1.9	0.0	0.0					
1986	45,047	88.7	6.8	1.9	0.6	2.0	0.0	0.0					
1985	42,644	88.9	6.8	1.8	0.6	2.0	0.0	0.0					
1984	38,544	88.0	7.3	2.0	0.6	2.1	0.0	0.0					
1983	39,397	87.9	7.0	2.1	0.6	2.4	0.0	0.0					
1982	38,866	86.5	7.7	2.4	0.8	2.7	0.0	0.0					
1981	11,322	83.4	9.7	2.6	1.0	3.3	0.0	0.0					

⁽¹⁾ Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with errors.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Age Distribution Children Aged < 5 Years (2)

	Summ	ary of Trends in Age	Distribution (3)	
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
2008	78,172	36.3	19.7	44.0
2007	74,984	38.1	19.7	42.2
2006	72,143	38.9	18.4	42.7
2005	66,475	35.8	19.5	44.8
2004	67,276	34.9	19.5	45.6
2003	69,455	30.6	21.2	48.3
2002	64,106	35.7	19.5	44.7
2001	62,299	36.3	19.5	44.2
2000	61,001	36.6	19.3	44.1
1999	63,327	36.1	18.8	45.1
1998	66,580	35.7	18.8	45.5
1997	66,575	34.4	18.6	47.0
1996	85,076	33.2	19.5	47.3
1995	92,976	34.0	19.3	46.7
1994	60,495	33.7	19.0	47.3
1993	63,749	33.7	19.3	47.0
1992	63,266	34.3	19.7	46.0
1991	59,645	35.5	19.8	44.7



Page:

 ⁽¹⁾ Reporting period is January 1 through December 31.
 (2) Analyses based on one record per child.
 (3) Records rejected if date of birth and date of visit unknown.
 (4) Excludes records with unknown data or errors.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Age Distribution Children Aged < 5 Years (2)

	Summa	ary of Trends in Age	Distribution (3)	
Year	Number Included in Analysis	0-11 Months %	12-23 Months %	24-59 Months %
	(4)	7-		,
1990	54,815	35.2	19.5	45.3
1989	52,533	34.7	18.9	46.4
1988	47,844	34.0	19.5	46.5
1987	44,271	35.0	21.3	43.7
1986	45,047	35.7	21.6	42.7
1985	42,644	34.9	20.3	44.8
1984	38,544	35.6	21.3	43.1
1983	39,397	34.6	19.4	46.0
1982	38,866	31.9	19.5	48.6
1981	11,322	29.6	21.5	48.9



Page:

 ⁽¹⁾ Reporting period is January 1 through December 31.
 (2) Analyses based on one record per child.
 (3) Records rejected if date of birth and date of visit unknown.
 (4) Excludes records with unknown data or errors.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 1 Run Date: 3/26/2009

Summary of Trends in Growth and Anemia Indicators Children Aged < 5 Years (2)

	Summary of Trends in Growth and Anemia Indicators (3)												
	В	irthweight ((4)			Hei	ght and V	Veight			Aner Low Hi		
Year		Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		>_2 Yrs Overweight (6)		(7)		
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th	Number	%	
2008	18,189	8.5	7.9	76,257	5.6	2.8	14.5	33,548	17.5	15.1	52,672	8.1	
2007	18,272	8.1	8.1	73,138	5.6	3.0	13.9	31,071	17.5	14.9	49,377	8.9	
2006	17,935	8.8	7.7	70,491	5.8	2.8	13.9	30,161	17.9	14.6	43,572	9.4	
2005	15,219	8.1	8.2	65,022	5.7	2.8	14.1	29,114	17.1	14.2	40,151	9.7	
2004	16,135	7.8	8.1	65,753	5.8	2.5	14.3	29,971	17.5	14.6	42,789	10.2	
2003	12,891	7.5	8.7	68,032	5.8	2.5	14.1	32,913	17.7	13.9	35,173	10.0	
2002	15,090	8.1	9.1	62,631	5.9	2.7	13.5	28,074	16.7	13.6	41,587	8.8	
2001	14,851	7.9	9.3	60,806	5.6	2.9	13.2	27,027	16.8	13.2	40,550	9.0	
2000	14,702	7.8	9.6	59,612	5.4	2.8	12.5	26,439	16.4	12.3	42,278	9.1	
1999	14,806	7.4	9.8	61,904	5.2	3.0	11.9	27,970	15.8	11.6	45,234	8.9	

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 2 Run Date: 3/26/2009

Summary of Trends in Growth and Anemia Indicators Children Aged < 5 Years (2)

	Summary of Trends in Growth and Anemia Indicators (3)												
	В	irthweight (4)			Hei	ght and W	/eight			Anemia Low Hb/Hct		
Year		Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		>_2 Yrs Overweight (6)		(7 ₎		
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th-<95th	% ≥95th	Number	%	
1998	15,481	7.8	10.4	64,959	5.1	3.1	11.2	29,788	15.9	10.6	48,222	10.0	
1997	15,192	7.5	9.9	55,311	5.3	3.4	11.4	26,195	15.8	10.7	48,067	10.2	
1996	17,424	7.4	10.1	78,634	5.4	3.3	11.3	37,980	15.6	10.4	60,871	11.0	
1995	19,987	7.3	9.8	91,046	5.2	3.0	10.7	42,824	15.0	9.6	65,710	11.6	
1994	13,146	7.1	10.1	59,813	5.3	2.7	11.2	28,419	15.0	9.4	46,044	6.5	
1993	13,824	7.5	10.2	63,098	5.4	2.6	11.0	29,792	14.9	9.1	49,301	5.0	
1992	14,041	7.3	10.7	62,644	5.1	2.8	10.2	28,948	14.9	8.3	48,367	4.8	
1991	13,958	7.3	10.3	59,052	5.1	3.2	9.1	26,461	13.8	7.5	45,718	5.4	
1990	12,582	7.1	10.8	54,311	5.2	3.2	9.3	24,584	14.9	8.2	41,942	5.1	
1989	12,087	7.2	10.4	52,034	5.5	3.3	9.2	24,195	14.7	7.9	41,153	4.6	

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 3 Run Date: 3/26/2009

Summary of Trends in Growth and Anemia Indicators Children Aged < 5 Years (2)

	Summary of Trends in Growth and Anemia Indicators (3)												
	Ві	rthweight (4)			Hei	ght and W	/eight			Aner Low H		
Year		Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	>_2 Yrs Overweight (6)			(7)		
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th-<95th	% ≥95th	Number	%	
1988	10,683	7.5	10.6	47,451	5.2	3.9	8.3	22,180	13.1	7.3	37,717	5.3	
1987	10,166	7.0	10.8	43,890	5.5	3.9	8.7	19,249	13.3	7.5	34,139	6.4	
1986	10,503	7.4	10.4	44,659	5.3	4.2	8.6	19,190	13.0	7.4	35,865	6.8	
1985	9,690	7.4	10.4	42,263	5.5	3.8	8.3	18,992	14.0	7.2	33,853	6.9	
1984	8,963	7.1	10.3	38,168	5.7	4.3	8.0	16,551	13.6	7.1	30,073	7.8	
1983	8,920	7.4	10.4	38,976	5.7	4.7	8.0	17,940	13.2	6.8	31,321	8.6	
1982	8,391	7.0	10.4	38,378	6.0	4.4	9.1	18,679	15.1	7.8	30,432	9.2	
1981	2,994	7.7	9.4	11,180	6.3	4.2	9.6	5,482	16.1	8.4	8,682	10.6	



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Breastfeeding Children Aged < 5 Years (2)

	Sı	ımmary of	Trends ir	n Breastfe	eding (3)	
				etfeeding (4)		
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2008	18,572	61.2	14,633	20.0	12,273	11.7
2007	18,609	59.1	14,444	20.1	11,541	11.0
2006	0	*	0	*	0	*
2005	15,252	57.7	9,856	23.8	8,682	16.5
2004	16,169	56.7	10,496	24.1	9,680	16.5
2003	12,913	56.3	7,144	25.3	7,450	17.7
2002	15,117	55.7	9,640	23.2	8,927	16.8
2001	14,888	55.0	10,103	22.2	8,891	16.2
2000	14,721	52.9	10,198	21.1	8,467	14.4
1999	14,848	51.5	10,175	21.0	8,492	15.1

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Breastfeeding Children Aged < 5 Years (2)

	Sı	ımmary of	Trends ir	n Breastfe	eding (3)	
			Breas	atfeeding (4)		
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
1998	15,506	50.7	10,801	18.9	8,691	13.4
1997	15,212	47.8	10,797	18.9	8,904	13.2
1996	14,392	46.8	9,476	17.6	7,414	11.7
1995	7,695	48.0	4,212	18.4	2,453	10.6



Page:

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 14C 2008 Pediatric Nutrition Surveillance lowa Children Aged < 5 Years

Page: 1 Run Date: 3 / 26 / 09

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 15C
2008 Pediatric Nutrition Surveillance lowa
Children Aged < 5 Years

Page: 1 Run Date: 3 / 26 / 09

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Page: Run Date: 3/26/2009

	G	rowth Inc	licators by F	Race/Ethn	icity and Aç	ge ⁽³⁾			
	Short St		Underw (5)		Obese (5)	e	≥ 2	2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic 0 - 11 Months 12 - 23 Months 24 - 59 Months	17,440 9,515 20,412	8.2 5.7 3.8	17,440 9,515 20,412	4.6 1.7 2.3	17,440 9,515 20,412	11.0 17.4 13.4	0 0 20,412	0.0 0.0 17.2	0.0 0.0 13.4
Total	47,367	5.8	47,367	3.0	47,367	13.3	20,412	17.2	13.4
Black, Not Hispanic 0 - 11 Months 12 - 23 Months 24 - 59 Months Total	2,072 1,226 2,840 6,138	9.5 4.4 2.9 5.4	2,072 1,226 2,840 6,138	4.2 2.6 3.4 3.5	2,072 1,226 2,840 6,138	11.1 16.2 11.4 12.3	0 0 2,840 2,840	0.0 0.0 15.4 15.4	0.0 0.0 11.4 11.4
Hispanic 0 - 11 Months 12 - 23 Months 24 - 59 Months Total	5,499 3,599 8,121 17,219	6.7 4.9 3.4 4.7	5,499 3,599 8,121 17,219	3.0 1.2 1.6 2.0	5,499 3,599 8,121 17,219	13.2 21.8 20.7 18.5	0 0 8,121 8,121	0.0 0.0 19.2 19.2	0.0 0.0 20.7 20.7
American Indian/Alaskan Native 0 - 11 Months 12 - 23 Months 24 - 59 Months	99 56 126	* * 1.6	99 56 126	* * 1.6	99 56 126	* * 15.9	0 0 126	* * 21.4	* * 15.9
Total	281	5.3	281	1.8	281	21.7	126	21.4	15.9

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Page: 2 Run Date: 3/26/2009

	G	rowth Inc	licators by F	Race/Ethn	icity and A	ge ⁽³⁾			
	Short Si		Underw (5)		Obes (5)	e	≥ :	2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian/Pacific Islander 0 - 11 Months 12 - 23 Months 24 - 59 Months	386 188 454	8.3 9.6 6.4	386 188 454	4.9 3.2 2.9	386 188 454	9.6 14.4 11.7	0 0 454	0.0 0.0 13.0	0.0 0.0 11.7
Total	1,028	7.7	1,028	3.7	1,028	11.4	454	13.0	11.7
Multiple Races 0 - 11 Months 12 - 23 Months 24 - 59 Months	1,342 783 1,588 3,713	9.2 5.4 3.7 6.0	1,342 783 1,588 3,713	3.8 1.0 1.8 2.3	1,342 783 1,588 3,713	12.4 20.3 15.5 15.4	0 0 1,588 1,588	0.0 0.0 17.2 17.2	0.0 0.0 15.5 15.5
All Other/Unknown 0 - 11 Months 12 - 23 Months 24 - 59 Months Total	497 7 7 511	7.0 * * 7.0	497 7 7 511	2.8 * *	497 7 7 511	9.1 * *	0 0 7 7	0.0	0.0
Total All Race/Ethnic Groups 0 - 11 Months 12 - 23 Months 24 - 59 Months	27,335 15,374 33,548	8.0 5.5 3.6	27,335 15,374 33,548	4.2 1.6 2.2	27,335 15,374 33,548	11.5 18.5 15.1	0 0 33,548	0.0 0.0 17.5	0.0 0.0 15.1
Total	76,257	5.6	76,257	2.8	76,257	14.5	33,548	17.5	15.1

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Anemia Indicators by Race/Ethnicity and Age

Page:

Run Date: 3 / 26 / 09

Children Aged < 5 Years (2)

	Anemia	Indicators	by Race/Ethnicity and Age (3, 4)		
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic	Trainisci.		Asian/Pacific Islander	T tallison	
6 - 11 Months	3,424	11.1	6 - 11 Months	92	*
12 - 17 Months	6,748	8.9	12 - 17 Months	124	10.5
18 - 23 Months	3,819	7.3	18 - 23 Months	77	*
24 - 35 Months	7.283	7.2	24 - 35 Months	170	12.9
36 - 59 Months	10,929	4.1	36 - 59 Months	243	8.6
Total	32,203	6.9	Total	706	11.2
Black, Not Hispanic			Multiple Races		
6 - 11 Months	415	22.9	6 - 11 Months	228	15.4
12 - 17 Months	789	18.1	12 - 17 Months	529	13.6
18 - 23 Months	536	19.8	18 - 23 Months	355	7.6
24 - 35 Months	971	19.8	24 - 35 Months	523	11.5
36 - 59 Months	1,587	12.2	36 - 59 Months	912	7.2
Total	4,298	17.0	Total	2,547	10.2
Hispanic			All Other/Unknown		
6 - 11 Months	1,083	11.7	6 - 11 Months	21	*
12 - 17 Months	2,581	10.0	12 - 17 Months	4	*
18 - 23 Months	1,519	7.9	18 - 23 Months	2	*
24 - 35 Months	2,848	9.0	24 - 35 Months	0	*
36 - 59 Months	4,658	4.3	36 - 59 Months	5	*
Total	12,689	7.5	Total	32	*
American Indian/Alaskan Native			Total All Race/Ethnic Groups		
6 - 11 Months	22	*	6 - 11 Months	5,285	12.4
12 - 17 Months	36	*	12 - 17 Months	10,811	10.1
18 - 23 Months	18	*	18 - 23 Months	6,326	8.6
24 - 35 Months	41	*	24 - 35 Months	11,836	8.9
36 - 59 Months	80	*	36 - 59 Months	18,414	5.0
Total	197	8.1	Total	52,672	8.1



⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 1 Run Date: 3 / 26 / 09

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and V	Veight			Aner	mia
			Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		≥ 2 Yrs Overweight (6)		Low H	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% n <u>></u> 95th	Number	%
White, Not Hispanic	2008 2007 2006 2005 2004 2003 2002 2001 2000 1999	11,434 11,432 11,436 11,303 11,898 9,831 11,544 11,555 11,554 11,829	8.4 8.1 8.9 8.0 8.0 7.4 8.4 7.7 7.7 7.3	8.2 8.6 8.1 8.6 8.5 9.1 9.3 9.8 10.2	47,367 45,421 43,644 47,022 48,116 51,057 47,460 46,622 46,216 48,886	5.8 5.8 6.2 5.9 6.0 5.9 6.1 5.7 5.5	3.0 3.2 3.1 2.9 2.6 2.7 2.8 3.0 3.0 3.2	13.3 12.8 12.6 13.3 13.5 13.5 12.8 12.7 12.0 11.5	20,412 18,900 18,634 20,716 21,643 24,540 21,089 20,471 20,273 21,832	17.2 17.2 17.6 17.0 17.5 17.4 16.8 16.7 16.3	13.4 13.2 13.1 13.1 13.6 13.2 12.7 12.5 11.6 11.0	32,203 30,116 26,474 28,571 31,042 25,999 31,419 30,938 32,657 35,705	6.9 7.6 7.7 8.3 8.7 8.8 7.8 8.0 7.9
Black, Not Hispanic	2008 2007 2006 2005 2004 2003 2002 2001 2000 1999	1,386 1,438 1,317 1,297 1,489 1,037 1,233 1,191 1,144 1,045	11.5 11.8 11.2 12.0 10.4 10.6 9.4 13.0 11.7	4.0 4.8 4.2 4.3 4.7 5.0 6.3 5.4 4.7 6.2	6,138 5,868 5,419 5,711 5,771 5,500 5,227 5,091 4,886 4,782	5.4 5.9 5.6 6.1 5.7 5.6 6.1 5.8 5.9	3.5 3.3 3.5 3.7 3.4 3.2 3.7 3.4 3.1 3.1	12.3 12.2 12.5 12.9 12.9 13.2 12.6 12.2 12.3 10.7	2,840 2,561 2,436 2,625 2,694 2,734 2,411 2,395 2,326 2,318	15.4 15.5 15.6 15.1 16.1 16.8 14.8 16.6 15.6 14.9	11.4 10.8 12.2 12.3 12.2 11.9 12.2 11.9 11.3 10.5	4,298 3,999 3,500 3,567 3,671 2,943 3,419 3,325 3,462 3,463	17.0 18.7 20.7 18.8 18.3 17.4 15.0 15.4 17.0 16.3



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 2 Run Date: 3 / 26 / 09

	Sum	mary of 1	Trends ir	n Growt	h and Ar	nemia In	dicato	rs by F	Race/Eth	nicity (3)			
Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and \	Veight			Aner	mia
			Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		≥ 2 Yrs Overweight (6)		Low H	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th - <95th	% ≥95th	Number	%
Hispanic	2008 2007 2006 2005 2004 2003 2002 2001 2000 1999	3,673 3,735 3,506 2,213 2,273 1,615 1,869 1,732 1,601 1,505	8.2 6.8 7.0 6.0 5.8 6.3 5.2 5.7 5.7	8.0 7.9 8.1 8.7 9.3 9.0 10.1 9.6 9.7	17,219 16,622 16,018 10,544 10,092 9,671 8,395 7,627 7,015 6,600	4.7 4.8 4.7 4.4 4.5 4.7 4.8 4.6 4.8	2.0 2.1 1.8 1.8 1.4 1.3 1.6 1.6 1.9	18.5 17.9 18.0 18.8 19.1 18.7 18.5 17.7 16.8 16.2	8,121 7,630 7,370 5,029 4,892 4,901 3,944 3,555 3,233 3,138	19.2 19.1 19.6 18.7 18.9 20.2 17.6 18.1 17.8	20.7 20.3 19.3 20.5 20.7 19.4 19.9 18.4 17.5 17.0	12,689 12,086 10,782 6,914 6,960 5,328 5,796 5,361 5,140 4,906	7.5 8.4 9.6 10.6 11.8 10.6 9.8 9.6 10.5 9.7
American Indian/Alaskan Native	2008 2007 2006 2005 2004 2003 2002 2001 2000 1999	70 65 17 117 114 81 110 84 81 113	* * 8.5 4.4 * 4.5 * 4.4	12.0 7.9 * 15.5 *	281 245 35 467 443 354 382 357 357 387	5.3 2.4 * 3.6 4.5 5.1 5.0 5.3 2.8 4.1	1.8 3.3 * 2.8 2.0 2.0 2.4 2.5 2.2 3.1	21.7 15.9 * 17.8 22.3 17.2 12.6 12.0 16.8 14.5	126 103 12 201 190 138 166 157 153 160	21.4 20.4 * 17.4 15.8 26.1 21.7 16.6 18.3 20.0	15.9 17.5 * 15.9 20.5 13.8 13.9 12.1 20.9 13.8	197 174 20 288 273 173 230 232 256 280	8.1 10.9 * 8.7 19.0 18.5 14.8 12.1 15.2 11.8



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 3 Run Date: 3 / 26 / 09

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and V	Veight			Ane	mio
			Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		≥ 2 Yrs Overweight (6)		Low H	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th - <95th	% ≥95th	Number	%
Asian/Pacific Islander	2008 2007 2006 2005 2004 2003 2002 2001 2000 1999	264 243 246 289 361 327 334 289 322 314	8.7 9.9 12.2 12.1 5.3 9.2 8.1 7.3 9.6 9.2	3.8 3.7 3.3 3.8 4.7 4.3 3.3 3.1 5.0 3.8	1,028 982 929 1,278 1,331 1,450 1,167 1,109 1,138 1,249	7.7 7.0 7.5 8.8 7.3 7.8 7.2 6.2 7.6 5.4	3.7 4.3 3.8 4.2 3.9 3.7 3.4 3.6 3.3 3.6	11.4 11.8 10.5 9.6 11.1 10.4 9.8 10.1 10.0 8.8	454 406 396 543 552 600 464 449 454 522	13.0 10.8 11.4 12.9 14.3 15.2 14.0 14.0 13.0	11.7 14.0 10.9 7.4 11.4 11.0 12.1 10.0 10.4 10.2	706 655 607 811 843 730 723 694 763 880	11.2 10.8 11.7 13.4 15.2 14.9 12.0 13.5 14.3
Multiple Races	2008 2007 2006 2005 2004 2003 2002 2001 2000 1999	876 865 779 0 0 0 0 0	7.6 7.9 11.2 * * *	9.0 8.2 5.5 * * *	3,713 3,483 2,720 0 0 0 0 0 0	6.0 5.9 5.6 * * * *	2.3 2.7 3.1 * * * * * * *	15.4 14.0 14.1 * * * * * * *	1,588 1,463 1,109 0 0 0 0 0 0	17.2 17.8 17.0 *	15.5 15.7 13.2 * * * *	2,547 2,310 1,616 0 0 0 0 0 0	10.2 11.9 12.4 * * *



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 4 Run Date: 3 / 26 / 09

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and V	Veight			Aner	nia
			Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		≥ 2 Yrs Overweight (6)		Low HI	o/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% n ≥95th	Number	%
All Other/Unknown	2008 2007 2006 2005 2004 2003 2002 2001 2000 1999	486 494 634 0 0 0 0 0 0	5.1 5.9 7.1 * * *	9.9 9.7 9.1 * * *	511 517 1,726 0 0 0 0 0 0	7.0 7.7 6.0 * * *	2.7 4.3 3.2 * * * *	9.0 10.1 14.9 * * *	7 8 204 0 0 0 0 0 0	* 25.0 * * * * * * * * *	* 16.7 * * * * * * * * * *	32 37 573 0 0 0 0 0	* 9.6 * * * * * * *
Total All Race/Ethnic Groups	2008 2007 2006 2005 2004 2003 2002 2001 2000 1999	18,189 18,272 17,935 15,219 16,135 12,891 15,090 14,851 14,702 14,806	8.5 8.1 8.8 8.1 7.8 7.5 8.1 7.9 7.8 7.4	7.9 8.1 7.7 8.2 8.1 8.7 9.1 9.3 9.6 9.8	76,257 73,138 70,491 65,022 65,753 68,032 62,631 60,806 59,612 61,904	5.6 5.8 5.7 5.8 5.8 5.9 5.6 5.4 5.2	2.8 3.0 2.8 2.8 2.5 2.7 2.9 2.8 3.0	14.5 13.9 13.9 14.1 14.3 14.1 13.5 13.2 12.5 11.9	33,548 31,071 30,161 29,114 29,971 32,913 28,074 27,027 26,439 27,970	17.5 17.5 17.9 17.1 17.5 17.7 16.7 16.8 16.4 15.8	15.1 14.9 14.6 14.2 14.6 13.9 13.6 13.2 12.3 11.6	52,672 49,377 43,572 40,151 42,789 35,173 41,587 40,550 42,278 45,234	8.1 8.9 9.4 9.7 10.2 10.0 8.8 9.0 9.1 8.9



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 3

3 / 26 / 09

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity Children Aged < 5 Years (2)

S	ummary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	city (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2008 2007 2006 2005 2004 2003 2002 2001 2000 1999	11,577 11,518 0 11,320 11,914 9,848 11,551 11,587 11,562 11,850	59.7 57.1 * 55.3 53.9 54.4 53.5 53.3 51.5 49.9	9,498 9,292 0 7,373 7,914 5,482 7,507 7,892 8,044 8,276	18.1 16.9 * 21.1 21.6 22.9 21.5 20.8 19.8 19.9	7,717 7,309 0 6,165 7,112 5,439 6,747 6,796 6,513 6,737	9.6 9.2 * 14.5 15.1 16.0 15.7 15.4 13.8 15.0
Black, Not Hispanic	2008 2007 2006 2005 2004 2003 2002 2001 2000 1999	1,402 1,451 0 1,306 1,499 1,044 1,238 1,194 1,151 1,055	48.1 46.5 * 46.7 45.3 43.5 46.9 44.4 42.6 42.1	1,085 1,099 0 734 793 480 701 706 709 623	17.2 17.2 * 17.0 17.5 20.2 15.8 16.9 17.1 15.9	938 923 0 816 818 622 732 735 671 627	11.9 10.5 * 11.2 10.5 13.2 11.2 11.0 11.8 8.6



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 2 Run Date: 3 / 26 / 09

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity Children Aged < 5 Years (2)

Sumr	mary of Tren	ds in Brea	stfeeding In	dicators by	/ Race/Ethnic	city (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2008 2007 2006 2005 2004 2003 2002 2001 2000 1999	3,730 3,795 0 2,218 2,279 1,613 1,878 1,735 1,604 1,513	73.5 72.7 * 76.0 76.7 74.6 75.5 73.4 71.3 70.4	2,993 2,999 0 1,501 1,496 972 1,196 1,253 1,198 1,013	28.7 32.1 * 39.1 39.3 37.3 33.9 32.1 31.6	2,821 2,535 0 1,457 1,478 1,122 1,235 1,137 1,067 915	18.1 17.4 * 27.3 25.7 28.3 25.3 23.9 19.8 20.7
American Indian/Alaskan Native	2008 2007 2006 2005 2004 2003 2002 2001 2000 1999	74 65 0 120 114 81 114 84 81	55.8 59.6 * 43.9 * 46.9	46 39 0 54 73 47 71 56 56	* * * * * * * * *	43 31 0 63 60 60 42 53 57 48	* * * * * * * * *



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 3 Run Date: 3 / 26 / 09

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity Children Aged < 5 Years $^{(2)}$

S	ummary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	city (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Asian/Pacific Islander	2008 2007 2006 2005 2004 2003 2002 2001 2000 1999	266 243 0 288 363 327 336 288 323 317	68.0 65.4 * 62.2 66.9 63.3 56.0 57.3 51.1 53.3	179 186 0 194 220 163 165 196 191 206	27.9 29.6 * 34.0 38.6 39.9 27.3 23.5 23.6 28.6	147 165 0 181 212 207 171 170 159 165	18.4 15.8 * 23.8 23.6 19.3 19.9 17.6 15.7
Multiple Races	2008 2007 2006 2005 2004 2003 2002 2001 2000 1999	880 865 0 0 0 0 0 0	55.7 54.1 * * * * * *	702 705 0 0 0 0 0 0 0	12.4 13.2 * * * * * * *	600 569 0 0 0 0 0 0	5.5 5.3 * * * * * *



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 4
Run Date: 3 / 26 / 09

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity Children Aged < 5 Years $^{(2)}$

Sum	mary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	city (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
All Other/Unknown	2008 2007 2006 2005 2004 2003 2002 2001 2000 1999	643 672 0 0 0 0 0 0 0	49.1 49.0 * * * * * * *	130 124 0 0 0 0 0 0 0	10.0 16.1 * * * * * * * *	7 9 0 0 0 0 0 0	* * * * * * * * *
Total All Race/Ethnic Groups	2008 2007 2006 2005 2004 2003 2002 2001 2000 1999	18,572 18,609 0 15,252 16,169 12,913 15,117 14,888 14,721 14,848	61.2 59.1 * 57.7 56.7 56.3 55.7 55.0 52.9 51.5	14,633 14,444 0 9,856 10,496 7,144 9,640 10,103 10,198 10,175	20.0 20.1 * 23.8 24.1 25.3 23.2 22.2 21.1 21.0	12,273 11,541 0 8,682 9,680 7,450 8,927 8,891 8,467 8,492	11.7 11.0 * 16.5 16.5 17.7 16.8 16.2 14.4 15.1



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 1 Run Date: 3 / 26 / 09

Summary of Trends in Growth Indicators by Age Children Aged < 5 Years (2)

				Su	mmary	of Tren	ds in (rowth Indicators	by Ag	e (3)					
Age and Year *			Heig	ht and \	Veight			Age and Year *			Heigl	ht and V	Veight		
		Short Stature (4)	Under- weight (5)	Obese (5)		≥ 2 Yrs Overweight (5)				Short Stature (4)	Under- weight (5)	Obese (5)		≥ 2 Yrs Overweight (5)	
	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th		Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th
0 - 11 Months								24 - 35 Months							
2008	27,335	8.0	4.2	11.5	0	*	*	2008	12,781	3.6	2.3	13.4	12,781	16.7	13.4
2007	27,515	7.9	4.4	10.8	0	*	*	2007	11,564	3.8	2.2	13.4	11,564	17.1	13.4
2006	27,206	7.9	4.0	11.2	0	*	*	2006	11,166	4.1	2.2	12.7	11,166	17.4	12.7
2005	23,088	8.1	3.7	12.2	0	*	*	2005	10,771	4.0	2.5	12.3	10,771	16.8	12.3
2004	22,696	8.3	3.3	11.9	0	*	*	2004	11,045	4.5	2.4	13.2	11,045	16.7	13.2
2003	20,612	8.0	3.1	12.3	0	*	*	2003	12,747	4.7	2.4	12.5	12,747	17.1	12.5
2002	22,203	8.4	3.3	11.6	0	*	*	2002	10,451	4.5	2.6	11.9	10,451	16.4	11.9
2001	21,886	7.7	3.5	11.6	0	*	*	2001	10,118	4.0	2.7	11.6	10,118	15.7	11.6
2000	21,661	7.4	3.3	11.1	0	*	*	2000	9,786	3.4	3.0	11.0	9,786	15.3	11.0
1999	22,093	7.0	3.4	10.5	0	*	*	1999	10,221	3.6	3.1	10.3	10,221	15.3	10.3
12 - 23 Months								36 - 47 Months							
2008	15,374	5.5	1.6	18.5	0	*	*	2008	10,770	4.2	2.4	15.9	10,770	17.5	15.9
2007	14,552	5.3	1.9	17.8	0	*	*	2007	10,070	3.8	2.3	15.5	10,070	17.6	15.5
2006	13,124	5.5	1.9	18.0	0	*	*	2006	9,766	4.2	2.2	15.1	9,766	17.8	15.1
2005	12,820	5.3	2.0	17.1	0	*	*	2005	9,641	4.2	2.9	15.2	9,641	16.3	15.2
2004	13,086	5.0	1.7	17.9	0	*	*	2004	9,796	4.2	2.5	15.0	9,796	17.4	15.0
2003	14,507	5.4	2.1	17.2	0	*	*	2003	11,203	4.7	2.3	14.4	11,203	17.7	14.4
2002	12,354	5.2	2.0	16.6	0	*	*	2002	9,273	4.6	2.7	14.0	9,273	16.8	14.0
2001	11,893	4.8	2.0	16.1	0	*	*	2001	8,843	4.4	2.9	13.6	8,843	17.4	13.6
2000	11,512	4.9	2.1	15.9	0	*	*	2000	8,647	4.6	2.8	12.6	8,647	16.8	12.6
1999	11,841	4.4	2.2	14.9	0	*	*	1999	9,055	4.6	2.9	11.8	9,055	15.9	11.8



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 2 Run Date: 3 / 26 / 09

Summary of Trends in Growth Indicators by Age Children Aged < 5 Years (2)

Summary of Trends in 0								
Age and Year *	Height and Weight							
	Short Under- Obese Stature weight (4) (5) (5)		≥ 2 Yrs Overweight (5)					
	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th	
48 - 59 Months								
2008	9,997	3.1	1.9	16.4	9,997	18.5	16.4	
2007	9,437	3.8	2.3	16.0	9,437	17.9	16.0	
2006	9,229	3.8	2.1	16.3	9,229	18.5	16.3	
2005	8,702	3.8	2.3	15.5	8,702	18.2	15.5	
2004	9,130	3.9	2.1	15.9	9,130	18.6	15.9	
2003	8,963	4.0	2.4	15.4	8,963	18.6	15.4	
2002	8,350	3.9	2.7	15.4	8,350	17.2	15.4	
2001	8,066	4.3	2.6	14.8	8,066	17.7	14.8	
2000	8,006	4.3	2.5	13.6	8,006	17.3	13.6	
1999	8,694	4.0	3.2	13.0	8,694	16.3	13.0	
Total All Age Groups								
2008	76,257	5.6	2.8	14.5	33,548	17.5	15.1	
2007	73,138	5.6	3.0	13.9	31,071	17.5	14.9	
2006	70,491	5.8	2.8	13.9	30,161	17.9	14.6	
2005	65,022	5.7	2.8	14.1	29,114	17.1	14.2	
2004	65,753	5.8	2.5	14.3	29,971	17.5	14.6	
2003	68,032	5.8	2.5	14.1	32,913	17.7	13.9	
2002	62,631	5.9	2.7	13.5	28,074	16.7	13.6	
2001	60,806	5.6	2.9	13.2	27,027	16.8	13.2	
2000	59,612	5.4	2.8	12.5	26,439	16.4	12.3	
1999	61,904	5.2	3.0	11.9	27,970	15.8	11.6	

Growth Indicators by Age (3)											
	Age and Year *	* Height and Weight									
			Short Stature (4)	Under- weight (5)	Obese (5)	(≥ 2 Yrs Overweight (5)				
		Number	%	%	%	Number	%	%			
			<5th	<5th	≥95th		85th-<95th	≥95th			



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:

Run Date: 3 / 26 / 09

Summary of Trends in Anemia by Age Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)								
Age and Year		Anemia Low Hb/Hct (4)			Age and Year		Anemia Low Hb/Hct (4)	
		Number	%				Number	%
6 - 11 Months					18 - 23 Months			
o il Montile	2008 2007 2006 2005 2004 2003 2002 2001 2000 1999	5,285 5,428 5,322 4,249 4,478 4,552 6,406 6,351 8,938 9,986	12.4 13.3 13.3 12.2 13.4 11.5 10.2 12.2 11.8 12.2		To 20 Months	2008 2007 2006 2005 2004 2003 2002 2001 2000 1999	6,326 5,668 4,519 4,594 4,813 4,504 4,704 4,246 5,462 5,909	8.6 9.6 11.4 11.0 11.4 11.0 9.7 10.5 9.6 9.0
12 - 17 Months	2008 2007 2006 2005 2004 2003 2002 2001 2000 1999	10,811 10,240 8,070 7,456 7,868 6,081 6,758 6,649 6,118 6,185	10.1 11.3 11.8 12.9 13.5 11.9 11.1 10.5 11.1		24 - 35 Months	2008 2007 2006 2005 2004 2003 2002 2001 2000 1999	11,836 10,790 9,737 9,054 9,777 7,816 8,995 9,403 8,132 8,644	8.9 9.2 10.0 10.6 11.2 11.8 10.3 9.8 10.1 9.2



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:

Run Date: 3 / 26 / 09

Summary of Trends in Anemia by Age Children Aged < 5 Years (2)

i 									
Summary of Trends in Anemia by Age (3)									
Age and Year		Anemia Low Hb/Hct (4)		Age and Year	Aner Low Hk	mia o/Hct (4)			
		Number	%		Number	%			
36 - 59 Months				Total All Age Groups					
So - Se Montins	2008 2007 2006 2005 2004 2003 2002 2001 2000 1999	18,414 17,251 15,924 14,798 15,853 12,220 14,724 13,901 13,628 14,510	5.0 5.8 6.1 6.4 6.7 6.9 5.9 5.8 5.8	2008 2007 2006 2005 2004 2003 2002 2001 2000 1999	52,672 49,377 43,572 40,151 42,789 35,173 41,587 40,550 42,278 45,234	8.1 8.9 9.4 9.7 10.2 10.0 8.8 9.0 9.1 8.9			
All Other/Unknown	2008 2007 2006 2005 2004 2003 2002 2001 2000 1999	0 0 0 0 0 0 0	* * * * * * * * * *						



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.